

Alderman Acres Mfg., Inc.



Pryor Products IV and Instrument Stands

Call for Current Pricing

Call For Current Pricing

Instrument Stands

Custom Instrument Stands - Pryor Products is committed to meeting the needs of the Original Equipment Manufacturers community, with the best and safest instrument stand designs possible. All of our stands are engineered for maximum fit, form and function, and we focus on ease-of-use and mobility. Every custom stand is stability tested. If you are an OEM and need a new stand designed, please contact our Sales & Marketing department. Keep in mind that the stands shown below are simply examples of what we have created for other OEMs, and are not offered for general sale through Pryor Products at this time.

Vital Signs Stand (sample #1)

Custom Instrument Stands - Vital Signs



- 5-leg, 19" diameter, low-center-of-gravity steel base with epoxy finish
- 3" twin wheel casters, 2 locking
- knockdown steel base pole with epoxy finish
- slow-descending stainless telescoping inner pole
- instrument mounting plate with mounting pins
- cushion grip handle
- 8"long x 8"high x 6"wide utility basket
- mounting plate is 50" fully extended; 37" compressed
- shipping box is 20" x 9" x 38"; shipping weight is 26 lbs.

Call For Current Pricing

Vital Signs Stand (sample #2)
Custom Instrument Stands - Vital Signs



- 4-leg, 19" diameter, low-center-of-gravity steel base with epoxy finish
- 3" twin wheel casters
- welded steel base pole with epoxy finish
- slow-descending stainless telescoping inner pole
- instrument mounting L-plate
- cushion grip handle
- transformer holder
- height of mounting plate is 50" fully extended; 37" compressed
- 8" long x 8" high x 6" wide utility basket
- shipping box is 15" x 15" x 38"; shipping weight is 22 lbs.

Vital Signs Stand (sample #3)
Custom Instrument Stands - Vital Signs



- 5-leg, 20" diameter, low-center-of-gravity steel base with epoxy finish
- 3" "roller blade" casters with colored centers
- welded steel base pole with epoxy finish
- slow-descending stainless telescoping inner pole
- instrument mounting lip on telescoping pole
- stainless grip handle
- stainless basket 11" x 6" x 6" with cord management hooks
- height of mounting lip is 56" fully extended; 42" compressed
- shipping box is 18" x 18" x 50"; shipping weight is 32 lbs

Call For Current Pricing

Some Assembly Required

Respiratory Care Stand (sample #4) *Custom Instrument Stands - Respiratory Care*



- 4-leg, 24" diameter, low-center-of-gravity steel base with epoxy finish
- 3" premium rubber casters with ball bearings (10 yr. warranty)
- welded steel base pole with epoxy finish
- instrument mounting bracket with dovetail bracket; 36" from floor
- headboard mating support wheel
- 2 sets of oxygen tank holders (each set has one solid holder and one with canvas strap) for D & E size cylinders
- shipping box is 18" x 18" x 35"; shipping weight is 30 lbs.

Respiratory Care Stand (sample #5) *Custom Instrument Stands - Respiratory Care*



- 5-leg, 19" diameter, low-center-of-gravity steel base with epoxy finish
- 3" twin wheel casters, 2 locking
- knockdown steel base pole with epoxy finish
- instrument mounting plate with dove tail bracket; 34" from floor
- cushion grip handle
- 4-outlet power strip
- 2 sets of oxygen tank holders for D & E size cylinders
- transformer bracket with protective cover
- shipping box is 20" x 9" x 38"; shipping weight is 26 lbs.

Call For Current Pricing

Respiratory Care Stand (sample #6)

Custom Instrument Stands - Respiratory Care



- 5-leg, 25" diameter, star aluminum base with epoxy finish
- 3" twin wheel plastic casters, 2 locking
- knockdown stainless steel base pole with epoxy finish
- instrument mounting plate; 38" from floor
- patient support wheel
- dual stainless steel pole mounts with air hose support arm and alarm mount
- humidifier mounting plate with c-clamp
- 8"long x 8"high x 6"wide utility basket with c-clamp
- 6-outlet power strip and protective cover
- set of oxygen tank holders with canvas straps for D & E size cylinders
- shipping box is 24" x 9" x 34"; shipping weight is 20 lbs.

Respiratory Care Stand (sample #7)

Custom Instrument Stands - Respiratory Care



- 6-leg, 25" diameter, low-center-of-gravity steel base with epoxy finish
- 3" premium rubber casters with ball bearings (10 yr. warranty)
- welded 1.75" square base steel pole with epoxy finish
- telescoping base pole with gas shock; adjusts up to 10"
- headboard mating support wheel
- 2 sets of oxygen tank holders (each set has two solid holders) for D & E size cylinders
- tilt instrument mounting plate capable of 360° rotation
- crossbar ported for articulation arm
- accessory mounting plate with two dove tail brackets
- height of mounting plate is 41" fully extended; 31" compressed
- shipping hex box is 13" x 13" x 13 x 35"; shipping weight is 50 lbs.

Call For Current Pricing

Thermometer Stand (sample #8)
Custom Instrument Stands - Thermometers



- 4-leg, 19" diameter, low-center-of-gravity steel base with epoxy finish
- 3" twin wheel casters
- welded steel base pole with epoxy finish
- tamper-resistant instrument holder assembly; 36" from floor
- straight tubing handle
- utility hook
- shipping box is 15" x 15" x 37"; shipping weight is 19 lbs.

Thermometer Stand (sample #9)
Custom Instrument Stands - Thermometers



- 4-leg, 19" diameter, low-center-of-gravity steel base with epoxy finish
- 3" twin wheel casters
- welded steel base pole with epoxy finish
- tamper-resistant instrument mount; 35" from floor
- probe cover box holder
- handle grip
- 10"long x 4"high x 10" wide utility basket
- shipping box is 15" x 15" x 37"; shipping weight is 19 lbs.

Call For Current Pricing

Miscellaneous Stand (sample #10)
Custom Instrument Stands - Miscellaneous



- 4-leg, 19" diameter, low-center-of-gravity steel base with epoxy finish
- 3" twin wheel casters
- welded steel base pole with epoxy finish
- instrument mounting plate; 34" from floor
- straight tubing handle
- 8"long x 8"high x 6"wide utility basket with epoxy finish
- utility cord hook
- shipping box is 15" x 15" x 37"; shipping weight is 19 lbs.

Miscellaneous Stand (sample #11)
Custom Instrument Stands - Miscellaneous



- 4-leg, low-center-of-gravity steel "H" base 15" x 17" with epoxy finish
- base accommodates medical instruments up to 15" x 15" x 15"
- 3" premium rubber casters with ball bearings (10 yr. warranty), 2 locking
- welded steel base pole with epoxy finish
- slow-descending stainless telescoping top pole
- 4 hook top
- patient support wheel and utility tray
- 4-outlet electrical strip with protective cover and cord wrap
- 94" fully extended; 71" compressed
- shipping box is 17" x 17" x 37"; shipping weight is 42 lbs.

Call For Current Pricing

Some Assembly Required

Miscellaneous Stand (sample #12) *Custom Instrument Stands - Miscellaneous*



- 5-leg, 22" diameter, low-center-of-gravity steel base with epoxy finish
- 3" premium rubber casters with ball bearings (10 yr. warranty)
- knockdown steel base pole with epoxy finish
- instrument mounting plate; 39" from floor
- off-set, slow-descending stainless telescoping top pole
- 4 hook top
- handle grip
- c-clamp IV bag holder
- 98" fully extended; 74" compressed
- shipping box is 24" x 6" x 34"; shipping weight is 34 lbs.

Miscellaneous Stand (sample #13) *Custom Instrument Stands - Miscellaneous*



- 4-leg, 22" diameter low-center-of-gravity steel base with epoxy finish
- 3" premium rubber casters with ball bearings (10 yr. warranty), 2 locking
- welded steel base pole with epoxy finish
- side-mounting instrument plate
- cushion grip handle
- power cord and tubing management holders
- shipping box is 15" x 15" x 38"; shipping weight is 32 lbs.

Call For Current Pricing

Some Assembly Required

Computer Stands (sample #14)

Custom Instrument Stands - Computers



- designed to accept most laptop computers and larger printers.
- 5-leg, 22" diameter, low-center-of-gravity steel base with epoxy finish
- 3" premium rubber casters with ball bearings (10 yr. warranty)
- detachable steel base pole with epoxy finish
- tilt adjustable mounting plate (12.5" x 11.5"); adhesive footpads and security screws to securely attach laptop to plate
- 10" long x 6" high x 6" wide utility basket with handle
- 14" x 10" printer mounting plate and support legs
- shipping box is 22" x 20" x 38"; shipping weight is 43 lbs.

Computer Stands (sample #15)

Custom Instrument Stands - Computers



- this custom over-the-bed computer stand was created for use with a touch screen computer.
- 4-leg, low-center-of-gravity steel "H" base 23" x 26" with epoxy finish
- 3" premium rubber casters with ball bearings (10 yr. warranty)
- welded steel base pole with epoxy finish
- telescoping base pole; adjusts up to 12"
- adjustable clam-shell mounting plate head unit; mounting clips and security screws for computer and keyboard
- mounting plate height 43" fully extended; 33" compressed
- shipping box is 23" x 26" x 38"; shipping weight is 46 lbs.

Call For Current Pricing

Computer Stands (sample #16)
Custom Instrument Stands - Computers



- this custom-designed stand was created for use with a large monitor and a tower PC.
- 4-leg, low-center-of-gravity steel "H" base 22" x 24" with epoxy finish
- 3" premium rubber casters with ball bearings (10 yr. warranty)
- welded steel base pole with epoxy finish
- telescoping base pole with gas shock; adjusts up to 15"
- 22" x 12" mounting platform allows attachment of most monitors, plus room for mouse and papers
- fully adjustable keyboard tray
- patient support wheel and utility tray
- base nest and mounting assembly for PC
- mounting plate height 49" fully extended; 34" compressed
- shipping box is 22" x 24" x 38"; shipping weight is 46 lbs.

Call For Current Pricing

IV Poles, IV Stands

IV Stands - From our signature Patient Pal® and Trans-Pal® I.V. stands to the multi-pole Omni-Pal model, Pryor Products continues to set the standard for innovative stands and accessories associated with IV therapy. We offer the widest selection of stand bases for every conceivable application, with 4-, 5-, and 6-leg bases available in different diameters, weights and configurations. Stand base materials include steel, stainless steel and cast aluminum. Heavy duty, premium rubber casters or dual nylon casters are available. Standard features include our patented stainless, slow-descending telescoping pole and stainless top hooks. And our support wheels offer unsurpassed patient safety and balance. Every stand you see here is hand made - manufactured with Pryor Pride. (Go to the [Accessories and Parts](#) Section for more information about our components).

I.V. Stand (cat. #107)

IV Stands - Single Pole 4-Legs



- 24" diameter, low-center-of-gravity steel base with epoxy finish
- 3" premium rubber casters with ball bearings (10 yr. warranty)
- welded steel base pole with epoxy finish
- slow-descending stainless telescoping top pole
- 4 hook top
- 99" fully extended; 68" compressed
- shipping box is 18" x 18" x 35"; shipping weight is 29 lbs.

Call For Current Pricing

Patient Pal® I.V. Stand (cat. #101)
IV Stands - Single Pole 4-Legs



- 24" diameter, low-center-of-gravity steel base with epoxy finish
- 3" premium rubber casters with ball bearings (10 yr. warranty)
- welded steel base pole with epoxy finish
- slow-descending stainless telescoping top pole
- 4 hook top
- patient support wheel and utility tray
- oxygen tank holder for D & E size cylinders
- stainless S hook
- 99" fully extended; 68" compressed
- shipping box is 18" x 18" x 35"; shipping weight is 32 lbs

Trans-Pal® I.V. Stand (cat. #101T)
IV Stands - Single Pole 4-Legs



- 24" diameter, low-center-of-gravity steel base with epoxy finish
- 3" premium rubber casters with 4 sets of ball bearings (10 yr. warranty)
- welded steel base pole with epoxy finish
- slow-descending stainless telescoping top pole
- 4 hook top
- headboard mating support wheel
- 99" fully extended; 68" compressed
- shipping box is 18" x 18" x 35"; shipping weight is 32 lbs.

Call For Current Pricing

Petite Patient Pal® I.V. Stand (cat. #102)

IV Stands - Single Pole 4-Legs



- Pediatric version of Patient Pal I.V. Stand (#101)
- 24" diameter, low-center-of-gravity steel base with epoxy finish
- 3" premium rubber casters with 4 sets of ball bearings (10 yr. warranty)
- welded steel base pole with epoxy finish
- slow-descending stainless telescoping top pole
- 4 hook top
- patient support wheel and utility tray
- oxygen tank holder for D & E size cylinders
- stainless S hook
- 89" fully extended; 56" compressed
- shipping box is 18" x 18" x 35"; shipping weight is 32 lbs.

Stainless Steel Patient Pal® I.V. Stand (cat. #103)

IV Stands - Single Pole 4-Legs



- 24" diameter, low-center-of-gravity stainless steel base with brushed finish
- 3" premium rubber casters with ball bearings (10 yr. warranty)
- welded stainless steel base pole
- slow-descending stainless telescoping top pole
- 4 hook top
- patient support wheel and utility tray
- oxygen tank holder for D & E size cylinders
- stainless S hook
- 99" fully extended; 68" compressed
- shipping box is 18" x 18" x 35"; shipping weight is 32 lbs.

Call For Current Pricing

Patient Pal® I.V. Stand (cat. #104)*IV Stands - Single Pole 4-Legs*

- 24" diameter, low-center-of-gravity steel base with epoxy finish
- 3" premium rubber casters with ball bearings (10 yr. warranty)
- welded steel base pole with epoxy finish
- slow-descending stainless telescoping top pole
- 5 hook piggyback top
- patient support wheel and utility tray · oxygen tank holder for D & E size cylinders
- stainless S hook
- 101" fully extended; 75" compressed
- shipping box is 18" x 18" x 35"; shipping weight is 32 lbs.

Petite Patient Pal® I.V. Stand (cat. #111)*IV Stands - Single Pole 4-Legs*

- Pediatric version of Patient Pal I.V. Stand (#101)
- 24" diameter, low-center-of-gravity stainless steel base with brushed finish
- 3" premium rubber casters with ball bearings (10 yr. warranty)
- welded stainless steel base pole
- slow-descending stainless telescoping top pole
- 4 hook top
- patient support wheel and utility tray
- oxygen tank holder for D & E size cylinders
- stainless S hook
- 89" fully extended; 56" compressed
- shipping box is 18" x 18" x 35"; shipping weight is 32 lbs.

Call For Current Pricing

Some Assembly Required

Patient Pal® I.V. Stand (cat. #113) IV Stands - Single Pole 4-Legs



- 24" diameter, low-center-of-gravity steel base with epoxy finish
- 3" premium rubber casters with ball bearings (10 yr. warranty)
- welded steel base pole with epoxy finish
- slow-descending stainless telescoping top pole
- 4 hook top
- patient support wheel and utility tray
- 99" fully extended; 68" compressed
- shipping box is 18" x 18" x 35"; shipping weight is 32 lbs.

Trans-Pal® I.V. Stand (cat. #137T) IV Stands - Single Pole 4-Legs



- 24" diameter, low-center-of-gravity steel base with epoxy finish
- 3" premium rubber casters with ball bearings (10 yr. warranty)
- welded steel base pole with epoxy finish
- telescoping base pole with gas shock; adjusts up to 10"
- slow-descending stainless telescoping top pole
- 4 hook top
- headboard mating support wheel
- 100" fully extended; 62" compressed
- shipping box is 18" x 18" x 35"; shipping weight is 32 lbs.

Call For Current Pricing

I.V. Stand (cat. #135)
IV Stands - Single Pole 5-Legs



- 22" diameter, low-center-of-gravity steel base with epoxy finish
- 3" premium rubber casters with ball bearings (10 yr. warranty)
- welded steel base pole with epoxy finish
- slow-descending stainless telescoping top pole
- 4 hook top
- 99" fully extended; 68" compressed
- shipping box is 22" x 20" x 35"; shipping weight is 32 lbs.

I.V. Stand. (cat. #135TUV)
IV Stands - Single Pole 5-Legs



- 22" diameter, low-center-of-gravity steel base with epoxy finish
- 3" premium rubber casters with ball bearings (10 yr. warranty)
- two casters with brakes
- knockdown steel base pole with epoxy finish
- slow-descending stainless telescoping top pole
- 4 hook top
- 99" fully extended; 68" compressed
- shipping box is 23" x 6" x 35"; shipping weight is 32 lbs.

Call For Current Pricing

Patient Pal® I.V. Stand (cat. #137)
IV Stands - Single Pole 5-Legs

- 22" diameter, low-center-of-gravity steel base with epoxy finish
- 3" premium rubber casters with ball bearings (10 yr. warranty)
- welded steel base pole with epoxy finish
- slow-descending stainless telescoping top pole
- 4 hook top
- patient support wheel and utility tray
- 99" fully extended; 68" compressed
- shipping box is 22" x 20" x 35"; shipping weight is 32 lbs.

Trans-Pal® I.V. Stand (cat. #101T5)
IV Stands - Single Pole 5-Legs



- 22" diameter, low-center-of-gravity steel base with epoxy finish
- 3" premium rubber casters with ball bearings (10 yr. warranty)
- two casters with brakes
- knockdown steel base pole with epoxy finish
- slow-descending stainless telescoping top pole
- 4 hook top
- headboard mating support wheel
- 99" fully extended; 68" compressed
- shipping box is 23" x 6" x 35"; shipping weight is 32 lbs.

Call For Current Pricing

Some Assembly Required

Patient Pal® I.V. Stand (cat. #116TUV)

IV Stands - Single Pole 5-Legs



- 22" diameter, low-center-of-gravity steel base with epoxy finish
- 3" premium rubber casters with ball bearings (10 yr. warranty)
- two casters with brakes
- knockdown steel base pole with epoxy finish
- telescoping base pole with gas shock; adjusts up to 10"
- slow-descending stainless telescoping top pole
- 4 hook top
- patient support wheel and utility tray
- no oxygen tank holder for D & E size cylinders
- no stainless S hook
- 100" fully extended; 62" compressed
- shipping box is 23" x 6" x 35"; shipping weight is 35 lbs.

Patient Pal® I.V. Stand (cat. #118TUV)

IV Stands - Single Pole 5-Legs



- 22" diameter, low-center-of-gravity steel base with epoxy finish
- 3" premium rubber casters with ball bearings (10 yr. warranty)
- two casters with brakes
- knockdown steel base pole with epoxy finish
- slow-descending stainless telescoping top pole
- 4 hook top
- patient support wheel and utility tray
- oxygen tank holder for D & E size cylinders
- stainless S hook
- 99" fully extended; 68" compressed
- shipping box is 23" x 6" x 35"; shipping weight is 34 lbs.

Call For Current Pricing

Petite Patient Pal® I.V. Stand (cat. #119TUV)*IV Stands - Single Pole 5-Legs*

- Pediatric version of Patient Pal I.V. Stand (#118TUV)
- 22" diameter, low-center-of-gravity steel base with epoxy finish
- 3" premium rubber casters with ball bearings (10 yr. warranty)
- two casters with brakes
- knockdown steel base pole with epoxy finish
- slow-descending stainless telescoping top pole
- 4 hook top
- patient support wheel and utility tray
- oxygen tank holder for D & E size cylinders
- stainless S hook
- 89" fully extended; 56" compressed
- shipping box is 23" x 6" x 35"; shipping weight is 34 lbs.

Patient Pal® I.V. Stand (cat. #122TUV)*IV Stands - Single Pole 5-Legs*

- 22" diameter, low-center-of-gravity steel base with epoxy finish
- 3" premium rubber casters with ball bearings (10 yr. warranty)
- two casters with brakes
- knockdown steel base pole with epoxy finish
- slow-descending stainless telescoping top pole
- 5 hook top
- patient support wheel and utility tray
- oxygen tank holder for D & E size cylinders
- stainless S hook
- 101" fully extended; 75" compressed
- shipping box is 23" x 6" x 35"; shipping weight is 35 lbs.

Call For Current Pricing

Some Assembly Required

I.V. Stand (cat. #133TUV) IV Stands - Single Pole 5-Legs



- 22" diameter, low-center-of-gravity steel base with epoxy finish
- 3" premium rubber casters with ball bearings (10 yr. warranty)
- two casters with brakes
- knockdown steel base pole with epoxy finish
- slow-descending stainless telescoping top pole
- 4 hook top
- oxygen tank holder for D & E size cylinders
- stainless S hook
- 99" fully extended; 68" compressed
- shipping box is 23" x 6" x 35"; shipping weight is 33 lbs.

Light-Weight I.V. Stand (cat. #326) IV Stands - Single Pole 5-Legs



- 25" diameter, aluminum base with epoxy finish
- 2" hooded casters
- knockdown stainless base pole
- slow-descending stainless telescoping top pole
- 4 hook top
- 94" fully extended; 67" compressed
- shipping box is 33" x 6" x 23"; shipping weight is 13 lbs.

Call For Current Pricing

Light-Weight I.V. Stand (cat. #328)

IV Stands - Single Pole 5-Legs



- 25" diameter, aluminum base with epoxy finish
- 2" hooded casters
- knockdown stainless base pole
- slow-descending stainless telescoping top pole
- patient support wheel and optional utility tray
- 4 hook top
- 94" fully extended; 67" compressed
- shipping box is 33" x 9" x 23"; shipping weight is 16 lbs.

Light-Weight I.V. Stand (cat. #336)

IV Stands - Single Pole 5-Legs



- 25" diameter, aluminum base with epoxy finish
- 2.5" twin wheel plastic casters
- knockdown 50" stainless steel pole with slow-descending telescoping inner pole
- 4 hook top
- 102" fully extended; 56" compressed
- shipping box is 24" x 6" x 50"; shipping weight is 17 lbs.

Call For Current Pricing

I.V. Stand (cat. #126)
IV Stands - Single Pole 6-Legs



- 22" diameter, low-center-of-gravity steel base with epoxy finish
- 3" premium rubber casters with ball bearings (10 yr. warranty)
- welded steel base pole with epoxy finish
- slow-descending stainless telescoping top pole
- 4 hook top
- 99" fully extended; 68" compressed
- shipping box is 23" x 20" x 35"; shipping weight is 33 lbs.

Stainless Steel I.V. Stand (cat. #114)
IV Stands - Single Pole 6-Legs



- 22" diameter, low-center-of-gravity stainless steel base with brushed finish
- 3" premium rubber casters with ball bearings (10 yr. warranty)
- welded stainless steel base pole
- slow-descending stainless telescoping top pole
- 4 hook top
- 99" fully extended; 68" compressed
- shipping box is 23" x 20" x 35"; shipping weight is 33 lbs.

Call For Current Pricing

Patient Pal® I.V. Stand (cat. #115)
IV Stands - Single Pole 6-Legs



- 22" diameter, low-center-of-gravity steel base with epoxy finish
- 3" premium rubber casters with ball bearings (10 yr. warranty)
- welded steel base pole with epoxy finish
- slow-descending stainless telescoping top pole
- 4 hook top
- patient support wheel and utility tray
- 99" fully extended; 68" compressed
- shipping box is 23" x 20" x 35"; shipping weight is 35 lbs.

Trans-Pal® I.V. Stand (cat. #372)
IV Stands - Single Pole 6-Legs



- 25" diameter, low-center-of-gravity steel base with epoxy finish
- 3" premium rubber casters with ball bearings (10 yr. warranty)
- welded steel base pole with epoxy finish
- slow-descending stainless telescoping top pole
- 8 hook rake top
- headboard mating support wheel
- 99" fully extended; 68" compressed
- shipping hex box is 13" x 13" x 13" x 35"; shipping weight is 38 lbs.

Call For Current Pricing

I.V. Stand (cat. #806)*IV Stands - Single Pole 6-Legs*

- 25" diameter, low-center-of-gravity steel base with epoxy finish
- 3" premium rubber casters with ball bearings (10 yr. warranty)
- welded steel base pole with epoxy finish
- stainless multiple device mount
- slow-descending stainless telescoping top pole
- 8 hook rake top
- 99" fully extended; 68" compressed
- shipping box is 23" x 20" x 35"; shipping weight is 35 lbs.

Patient Pal® I.V. Stand (cat. #144)*IV Stands - Dual Pole 6-Legs*

- 22" diameter, low-center-of-gravity steel base with epoxy finish
- 3" premium rubber casters with ball bearings (10 yr. warranty)
- welded steel base pole with epoxy finish
- stainless steel dual pump adapter
- slow-descending stainless telescoping top poles
- 2 x 4 hook tops
- patient support wheel and utility tray
- 6-outlet electrical strip with protective cover
- oxygen tank holder for D & E size cylinders
- stainless S hook
- 99" fully extended; 68" compressed
- shipping box is 23" x 20" x 35"; shipping weight is 43 lbs.

Call For Current Pricing

Some Assembly Required

Patient Pal® I.V. Stand (cat. #146) IV Stands - Dual Pole 6-Legs



- 22" diameter, low-center-of-gravity steel base with epoxy finish
- 3" premium rubber casters with ball bearings (10 yr. warranty)
- welded steel base pole with epoxy finish
- stainless steel dual pump adapter
- slow-descending stainless telescoping top poles
- 2 x 4 hook tops
- patient support wheel and utility tray
- 4-outlet electrical strip with protective cover
- oxygen tank holder for D & E size cylinders
- stainless S hook
- 99" fully extended; 68" compressed
- shipping box is 23" x 20" x 35"; shipping weight is 43 lbs.

Patient Pal® I.V. Stand (cat. #147) IV Stands - Tri Pole 6-Legs



- 25" diameter, low-center-of-gravity steel base with epoxy finish
- 3" premium rubber casters with ball bearings (10 yr. warranty)
- welded steel base pole with epoxy finish
- stainless steel tri pump adapter
- slow-descending stainless telescoping top poles
- 2 x 4 hook tops
- patient support wheel and utility tray
- 6-outlet electrical strip with protective cover
- oxygen tank holder for D & E size cylinders
- 90" fully extended; 65" compressed
- shipping hex box is 13" x 13" x 13" x 35"; shipping weight is 48 lbs.

Call For Current Pricing

Omni-Pal® I.V. Stand (cat. #141)*IV Stands - Quad Pole*

- Stainless with brushed finish H base with 5 legs and 1 folding outrigger leg
- 3" premium rubber casters with ball bearings (10 yr. warranty)
- 3 stainless steel base poles
- 4 slow-descending stainless telescoping top poles
- 2 x 4 hook tops and 2 x 2 hook tops
- 2 x 6-outlet electrical strips with protective covers
- 2 adjustable bed rail brackets
- 95" fully extended; 69" compressed
- shipping boxes are 28" x 25" x 6" and 12" x 12" x 38 ; shipping weights are 38 and 30 lbs.

Omni-Pal® I.V. Stand (cat. #139)*IV Stands - Quad Pole*

- steel H base with 4 legs, with epoxy finish
- 3" premium rubber casters with ball bearings (10 yr. warranty)
- 3 stainless steel base poles
- 4 slow-descending stainless telescoping top poles
- 2 x 4 hook tops and 2 x 2 hook tops
- 1 x 6-outlet electrical strip with protective cover
- oxygen tank holder for D & E size cylinders
- 95" fully extended; 69" compressed
- shipping boxes are 28" x 25" x 6" and 12" x 12" x 38 ; shipping weights are 40 and 22 lbs.

Call For Current Pricing

Table Top I.V. Stand (cat. #415)

IV Stands - Table Top



- 8" x 15" steel base with epoxy finish
- slow descending telescoping stainless pole
- 8 hook rake top
- 27" fully extended; 15" compressed
- shipping box is 15" x 17" x 5"; shipping weight is 6lbs.

Table Top I.V. Stand (cat. #416)

IV Stands - Table Top



- 8" x 15" aluminum base with epoxy finish
- slow descending stainless telescoping pole
- 2 hook top
- 27" fully extended; 15" compressed
- shipping box is 15" x 17" x 5"; shipping weight is 5 lbs.

Call For Current Pricing

Wheelchair accessories

Wheelchair Accessories - Pryor Products offers after-market retrofit accessories for wheelchairs. These innovative products add IV pole and oxygen tank holding capability to most standard wheelchairs

Wheelchair-Pal® (cat. #203) *Wheelchair Accessories - I.V. Pole*



- slow-descending stainless telescoping top pole
- 2 hook top
- oxygen tank holders for D & E size cylinders
- stainless anti-theft mounting hardware
- 95" fully extended; 75" compressed when attached to most wheelchairs

Call For Current Pricing

Wheelchair-Pal® II (cat. #234)
Wheelchair Accessories - I.V. Pole



- fixed-position stainless pole with 1 hook top
- oxygen tank holders for D & E size cylinders
- stainless anti-theft mounting hardware
- 65" when attached to most wheelchairs

Wheelchair-Pal® (cat. #204)
Wheelchair Accessories - Oxygen Tank Holders



- oxygen tank holders for D & E size cylinders
- stainless anti-theft mounting hardware
- can accommodate slow-descending stainless telescoping top pole

Call For Current Pricing

Hook Tops

Accessories & Parts - Innovation, value and safety have always been the hallmarks of Pryor Products product lines. Today, we provide a diverse range of multi-functional, productivity-enhancing accessories and parts for mounting and moving IV therapy and medical instruments. By selecting these versatile items for your specific clinical needs, you can create convenient solutions for your specific clinical requirements.

2-Hook Top (cat. #230)

Accessories & Parts - Hook Tops



- heavy-duty, welded and polished stainless
- attaches to all Pryor IV top poles of 11/16"

Call For Current Pricing

4-Hook Top (cat. #228)

Accessories & Parts - Hook Tops



- heavy-duty, welded and polished stainless
- attaches to all Pryor IV top poles of 11/16"

4-Hook K Top

Accessories & Parts - Hook Tops



- K-configuration allows IV solutions to hang towards user
- attaches to all Pryor IV top poles of 11/16"
- heavy-duty, welded and polished stainless

Call For Current Pricing

5-Hook Piggyback Top (cat. #227)

Accessories & Parts - Hook Tops



- 5-hook IV top features one lower “piggyback” hook
- attaches to any Pryor IV top pole of 1 1/16"
- heavy-duty, welded and polished stainless

6-Hook Circle Top (cat. #331)

Accessories & Parts - Hook Tops



- convenient carousel design
- attaches to any Pryor IV top pole of 1 1/16"
- heavy-duty, welded and polished stainless

Call For Current Pricing

8-Hook X Top

Accessories & Parts - Hook Tops



- innovative 8-hook top
- attaches to all Pryor IV top poles of 11/16"
- heavy-duty, welded and polished stainless

8-Hook Rake Top (cat. #247)

Accessories & Parts - Hook Tops



- space saving design facilitates IV line management
- attaches to all Pryor IV top poles of 11/16"
- heavy-duty, welded and polished stainless

Call For Current Pricing

Track System Iv Hangers

Track Systems - Pryor Products offers a complete line of ceiling mounted Cubical curtain, and 'I V' Track Systems. We also can provide you with flame resistant Cubical Curtains, custom made for your unique application. We manufacture the highest possible quality Shower curtains for institutional or domestic applications. Please contact us for samples of fabrics available.

Adjustable I.V. Hanger (cat. #2204)

Track Systems - IV Components



- Stainless steel telescoping 'I V' hanger
- Overall length, 25" compressed; to 37" fully extended.
- Our new "Finger Pull Release" design with quick stop feature, allows single-hand adjustment.
- This model has 4 stainless steel hooks.
- This I V hanger can be modified for MRI applications.

Call For Current Pricing

Adjustable IV Hanger (cat. #2238)

Track Systems - IV Components



- Stainless steel I V hanger. The four upper hooks are adjustable 18", up or down, on the central shaft.
- Overall fixed length 36".
- This model has 5 hooks.

Dual Telescoping IV Hanger (cat. #2240)

Track Systems - IV Components



- Stainless dual telescoping 'I V' hanger with 27" vertical adjustment capability.
- Overall length, 27" compressed; 54" fully extended.
- This model has 8 hooks.
- This I V hanger can be modified for MRI applications.

Call For Current Pricing

IV Instrument Hanger (cat. #2239)

Track Systems - IV Components



- This heavy duty model is designed to hold 'I V' bags and an 'I V' pump.
- It is a stainless telescoping hanger with dual 18" vertical adjustments: upper adjustment for IV solutions, and the lower pole adjusts to raise/lower attached pump.
- It can be fully extended to a length of 63".
- This model has 4 hooks.

Atlas IV Hanger (cat. #2192)

Track Systems - IV Components



- 4-hook polished stainless steel hanger
- #2192 available in 18" to 31" lengths
- #2193 available in 32" and longer lengths

Call For Current Pricing

Extension (cat. #2211)
Track Systems - IV Components



- Polished stainless steel 'I V' hanger extension.
- Provides an extension for lower positions.
- It is available in one-inch increments from 6" to 72".

IV Trolley (cat. #2212)
Track Systems - IV Components



- Our 'I V' trolley has four heavy-duty, self-lubricating, easy-rolling medical grade nylon wheels with stainless steel axles.
- Nylon trolley body construction is non-conductive to help isolate patient and equipment from stray electrical current.
- It's limited swivel helps prevent 'I V' line tangling.

IV Track and Cubicle Curtain Track (cat. #2226 & 2213)
Track Systems - Track Components



- Our Heavy-Duty 'I V' track has reinforced corners to help support the load of the 'I V' hangers and bags.
- Straight sections are available in standard and custom lengths.
- Pre-bent sections at desired degree, at standard 18" radius and 5' radius, are available as custom bends.
- Track is available with standard or custom colors, in anodized or powder coated epoxy finish

Call For Current Pricing